

Sta

= N.E. cor sec. 1-87-11

Found Nght stone 15x8x7

Iron Hub 5x2x17, I.B. 1x20


JCM 14" deep

36.31
116

N.E. cor. sec. 1-87-11

7-31-39

Youngerman



Sta N 1/4 Cor. Sec 1-87-11

Found nothing, Ball & Newton old Sub-div. survey shows stone here in find dug hole 4' x 4' x 5' deep. to clay sub-soil.

Est. Corner 14.85' W. of S 1/4 36-88-11, in accordance with original Gov. Survey call and Ball & Newton Sub-div. Surveys.

Est. on right line S 1/4 36 & SW 36 & on closing distance of 14.85'.


Found plenty of Niggerhead stones but none identified to indicate 1/4 corner

Set 5CM 6" deep mark 

N 1/4 cor. sec. 1-87-11

8-2-41

Notes: BOWSER
Chain Dalton
Swape



579

= N.E. cor. sec 2-87-11

Found nothing, Est. Corner 29.7'
W. & P. SE 35-88-11, $\neq$ on line with
SE $\frac{1}{4}$ 35-88-11, in accordance with
call by Original Gov. Survey
& Sub-Division Surveys by
John Ball & M. L. Newton.

Ball and Newton show stone here
but no find; dig hole 12' x 8' x 5' deep.
Est. Cor. on right line SE 35-88-11
7 5/4 35-88-11, 4 on closing distance


N.E. cor. sec. 2. 87-11

8/28/41

B w s e r

Swolve

Dutton



Sta N 1/4 cor. Sec. 2-87-11

Found Nothing.

E54 Corner 26.7' W. of 5 1/4 25-88-11
 ≠ on line with SW 35 ^{≠ 5 1/4 35-88-11} in accordance
 with call in original Gov. Survey ≠
 Sub-division surveys, Ball ≠ Newton


5. c. m. 9" deep

Found $\frac{1}{4}$ sub-division stone & center stone sec 2 & corner as described above is on line with sub-division stones, & in E & Road E & W.

N. 1/4 cor. sec 2-87-11

8-27-41

Notes, Jacobson
Chapin, Laughlin + Swape



Sto

= N.E. cor. sec. 3-87-11

Found Nothing

Est. this corner 15.18' W. of SE 34
88-11, according to original Gov. Survey
and Subdivision Surveys by John Ball
and M. L. Newton, and on line with
5 1/4 Sec 34-88-11.


5.5 m. 9" deep

completely
Note: I am not satisfied that JE 34
is correct, but all ^{local} evidence points to
it as proper location for same.
this was set 3 years ago by
common consent of owners, & Tippy
and Barber, & County Engineer. they
evidently overlooked the fact that
there was one ^{closing} corner here, in
addition to standard bush corner.

N.E. cor, sec 3-87-11

P-28-91

Youngerman



Sta. N 1/4 cor. Sec 3-87-11


Ties and evidence found
recorded as S¹/₄ Cor. Sec 34-88-11

Found niggerhead 12" X 6", on
closing distance west of 5 1/4 34
88-11,

Set. S.C.M. 6" deep.

N. 1/4 cor. sec 3-87-11

7-14-91
Youngerman



5/2

N.E. cor. sec. 4-87-11

Found I.B. $1\frac{1}{2} \times 24"$


Set 5.6M 12" deep.

This corner Est by County Engineer's Office, it looks O.K. to me, accepted same.

N.E. cor. sec. 9-87-11

7-19-41


Youngman



Sta N 1/4 Cor. Sec 4-87-11 " " "
 Found Lime Stone 7x3x1"
 Set S.C.M 6" deep.
 this was 13.0' West of S 1/4 33 &
 almost closing distance, recorded in
 Original Gov. Survey, & later local
 Surveys.

N. 1/4 Cor. Sec. 9-87-11

August 1941
 Youngerman



Sta.

= N.E. cor. sec. 5-87-11


Found lime stone $8 \times 7 \times 1\frac{1}{2}$
 $6 \times 4 \times 1\frac{1}{2}$, $6 \times 5 \times 1\frac{1}{2}$ & I.B. $\frac{1}{2} \times 2 \times$
 set S.C.M. on evidence.
 J.C.M. 12" deep.

N.E. cor. sec. 5-87-11

7/19/41

Youngerman
 Chwin: Medert-Murray

old location
 of me for visible




Sta N 1/4 Cor. Sec. 5-87-11.

Found nothing:

Est. Corner 8.25' W. of S 1/4 32-88-11, in accordance with calls by original Gov. Survey and Ball & Newton's Sub-div. Survey & on right line SW 32-88-11 & S 1/4 32-88-11

N. 1/4 Cor. Sec. 5-87-11

August 1941
Youngerman



Sta

= N.E. cor. sec 6-87-11


Ties and evidence found
recorded as S.E. Cor. Sec 31-88-11

Common corner.

N.E. cor sec 6-87-11

Corner Set and Tied in
Book #2 88-11 page 53

Found Iron Bar $\frac{1}{2}$ " x 24" long
C.M. 12" deep




Sta N. 1/4 cor. sec 6-87-11
 Found nigger head stone
 16" x 9" x 6" and Iron Bar
 1/2" x 24" long Lowered
 evidence and set C.M. on
 top 12" deep.

34.6' S.E. of X-Spikes in brace post
 34.0' S. of X-Spikes in cor. post
 35.0' S.W. of X-Spikes in brace post
 33.0' N. of X-Spikes in cor. post & tie rod
 756.0' S.E. of SE cor. of Corn. Crib Base

N. 1/4 cor. sec 6-87-11 9-25-39

Notch-Hubbard
 Chain-Hubbard-niedert



Sta.

N.W. cor. sec 6-87-11

Found Iron bar $\frac{1}{2}$ " x 24" long

Wood stake 3" x 1" x 17"

Lime stone 14" x 9" x 9"

and remnant of an old Oak Hub.

Lowered evidence and set C.M.

on top 12" deep

51.5' SE. of X-Spikes in gate post.

47.2' SW. of X-Spikes in gate post

50.0' SW. of X-Spikes in gate post

515.8' NW. of NW cor. of House Base

45.6' NW. of X-Spikes in tel. pole

52.2' NE. of X-Spikes in gate post

N.W. cor. sec 6-87-11

9-25-39.


Notes - Hubbard

Chain - Hubbard - Niedert.

Sec. 36 T88-R12

66' Row.

Sec. 31 T88-R11



Sec. 1 T89-R12

Sec. 6 T89-R11

Sta W 1/4 cor. sec 6-87-11

At location indicated by
random line dug hole 5 ft
sq and 18" deep found iron
bar 7/8" x 27" lowered all
evidence in place and set c/m
on top with cap marked


1 - 6

Set top of c/m 12" deep.

- 34.3' S.E. of X-Spikes in brace post.
- 35.5' S.W. of X-Spikes in fe. post.
- 117.1' N.W. of X-Spikes in tel. pole.
- 625.5' N.W. of NW cor. of House Base
- 32.2' E. of X-Spikes in cor. post.

W 1/4 cor. sec 6-87-11

9-27-39



Sta

= N. W. cor. sec. 7-87-11

At location indicated by random line dug hole 5 ft sq. and 18" deep found limestone 11" x 7" x 4" old iron bar 11 x 1 x 32" lowered all evidence in place and set c/p on top with cap marked

1	6
12	7

Get top of c/m 12" deep


Note:

Ties is recorded in Book # 1

T87N-R12W as NE cor. sec. 12

N.W. cor. sec. 7-87-11

5-16-37



N 1/4 cor. sec. 7-T87N-R11W

At location indicated by
random line dug hole 5 ft
sq and 18" deep found
niggerhead 8"x13"x20" iron pipe
1"x18" niggerhead 10"x10"x12"
lowered all evidence in place
and set c/m on top with
cap marked

7


Set top of c/m 12" deep

20.6' S. of x-spike fc. post

6.3' N of x-spike fc. post

N 1/4 cor. sec. 7-87-11

9-27-39



NE cor. sec. 7-T87N-R11W

At location indicated by random lines
dug hole 5ft. square X 18" deep.

Found Old Oak Hub 17"x2"x2"

Wedge shaped, and Iron Bar $\frac{1}{2}$ " x 36"

Lowered all evidence in place
and set CM with cap marked:

6 | 5
7 | 8

Set Top of CM 12" deep.

370' SE of 2nd steel fc. post

34.7' E of X-spike in cor. post

32.9' ^{ENE} NE of X-spike in Tel. pole

44.0' NE of X-spike in fc. post

30.0' NW of X-spikes in cor. post

22.8' NW of W. end of Bridge's rail S.

18.5' SW of W. end of Bridge's Rail N

98.3 SW of X-spikes in cor. post

N.E. cor. sec. 7-87-11


5-15-39

Notes: Jacobson

chain - Cutsforth - Pakka

Sec. 6-87-11

Sec. 5-87-11



Sec. 7-87-11

Sec. 8-87-11

Sta E 1/4 Cor. Sec 6-87-11

At location indicated by
random line dug hole 5 ft
sq and 18" deep found
oak hub 2 1/2" x 10 1/2" niggerhead
6" x 10" x 14" lowered all evidence
in place and set c/m on top
with cap marked

6-5

Set top of c/m 12" deep.

33.4' E. of X spike cor. post

33.2' W. of X spike cor post

35.1' NE of steel gate post

83.1' ^{NNE} NE of W wing conc. culvert

35.2' NW of steel gate post

36.9' S.W. of steel gate post

E. 1/4 cor. sec. 6-87-11

9-26-39

NOTES - Hubbard

xChain-Mubbarid-Niedert.

66.6 P.W.

Steel gate post.


(X) SPK. Coy Post.

(X) Spk. Coy past.

steel ante pos


- steel gate post

Concrete Culvert



N 1/4 Cor. Sec. 8-87-11

At location indicated by
random line dug hole 5 ft
sq. and 18" deep found
limestone 2"x6"x14" niggerhead
7"x10"x16" lowered all evidence
in place and set c/m on top
with cap marked




set top of c/m 36" deep,

267

33.0' S. of x spike cor. post
34.9' N.E. of x spike gate post
32.7' N. of x spike cor. post
34.9' SW. of Brace - Fa. post
35.9' S.E. of Steel fa. post

N 1/4 Cor. Sec. 8-87-11

5-15-39



NE cor. sec. 8-T87N-R11W

At location indicated by random line dug hole and

Found-limestone 3'X6'X12" and

iron bar 1/2" X 25 1/2" also very

rotten oak hub 2'X2'X8" also

iron bar 1/2" X 25 1/2" about 8" south

of stone-O.H. & I.B. Lowered

evidence and set C.M. on

Top with cap marked

5 4
8 9

Set Top of CM 12" deep.

46.4' SE of X-spikes in cor. post

46.3' SE of X-spikes in cor. post

53.5' NE of X-spikes in Brace post

46.7' NE of X-spikes in cor. post

52.9' NW of X-spikes in brace post

48.6' NW of X-spikes in cor. post

46.8' SW of X-spikes in Tel. pole

46.8' SW of X-spikes in cor. post

N.E. cor. sec. 8-87-11

5-15-39

Notes: Jacobson

chain-cut-forth-Pabla

sec. 5-87-11

Sec. 4-87-11

(X) spt. cor. post

(X) spt. cor. post

(X) spt. tel. pole

(X) spt. brace post

(X) spt. cor. post

(X) spt. cor. post

(X) spt. brace post

Sec 8-87-11

Sec 9-87-11

Sta E 1/4 cor sec 5-87-11

At location indicated by
random line dug hole 5 ft
sq. and 18" deep found iron
bar 1/2" x 25" lowered all evidence
in place and set c/m on top
with cap marked

5-4


set top of c/m 12" deep.

52.5' S.E. of X-Spiked brace post
128.9' S.W. of S.W. cor. of house brick base
33.5' W.N.W. of X-Spikes in cor. post.
92.4' N.W. of X-Spikes in tel. pole
41.5' N.E. of X-Spikes in brace post
35.4' E.N.E. of X-Spikes in cor. post.

Notes: Hubbard
Chain-77005-Jacobson. 21

E. 1/4 cor sec 5-87-11

11-9-39




N¹/₄ cor. sec 9-87-11

At location indicated by
random line dug hole 5 ft
sq and 18" deep found

SE Cor.
232.4' S.E. of House base
34.4' N.E. of x-spike cor. post
37.8' N.W. of 2nd steel post
34.9' S.W. of x-spike fa. post
33.5' S.E. of x-spike fa. post

N¹/₄ cor. sec 9-87-11

9-28-39



NE cor. sec. 9-T87N-R11W

At location indicated by random
lines, dug hole 5ft. square X 18" deep.

Found Lime stone 3" X 18" X 9"

Steel Rod $\frac{1}{2}$ " X 20" long square.

Lowered all evidence in place
and set CM top with cap marked:

4 | 3
9 | 10

Set Top of CM 12" deep

44.9' SE of x-spikes in cor. post

84.1' SW of x-spikes in Tel. pole

32.0 SW of steel cor. post

35.6' NW of x-spikes in cor. post

40.2' NE of x-spikes in Tel. brace post

N. E. cor. sec. 9-87-11

9-26-39

Notes-Hubbard


chain-Hubbard-Niedert.

Cottonwood 36" dia.

X Spk. Tel. pole

X Spk. cor. post.

Steel cor. post.



Sta.	E 1/4 Cor. Sec. 4-87-11
------	-------------------------


At location indicated by
random line dug hole 5 ft
sq and 18" deep found nothing.

Est. this corner in $\frac{1}{4}$ Road N $\frac{1}{4}$ S
 $\frac{1}{4}$ on $\frac{1}{4}$ E line East $\frac{1}{4}$ W $\frac{1}{4}$ Sec 4
 $\frac{1}{4}$ $\frac{1}{4}$ stone on $\frac{1}{4}$ line it on prorated
distance from NE 9, $\frac{1}{4}$ Prorated
gov. distances from NE 9, $\frac{1}{4}$ old
Survey prorated distances, assuming
 $\frac{1}{4}$ $\frac{1}{4}$ stone found is OK. $\frac{1}{4}$ that
Row fences at $\frac{1}{4}$ corner are
OK.

See Random Chain Notes Book #1
87-11

E. 1/4 cor. sec 9-87-11

August 1941
Youngerman
Laughlin



N 1/4 cor. sec. 10-T87N-R11W

At location indicated by random lines
dug hole 5 ft. square. X 18" deep.

Found lime stone 8" x 10" x 18"

Lowered evidence in place and
set CM on Top with cap marked:

3
10

Set Top of CM 12" deep.

39.6' NE of X-spikes in cor. post

35.4' NE of steel fe. post

38.0' NW of X-spikes in fe. post

20.6' SW of X-spikes in cor. post

30.3' SE of X-spikes in gate post


37.6' SE of X-spikes in elm Tree
40"
45" dia.

N 1/4 cor. sec. 10-87-11

9-28-39.

Notes - Hubbard

Chain - Hubbard - Niedert



Sta. NE Cor. Sec. 10-87-11

At location indicated by
random line dug hole 5 ft
39 and 18" deep found
niggerhead 13"x15"x30" lowered
all evidence in place and set
c/m on top with cap marked

32

10 11

set top of c/m 12" deep.


9/27/39

ESE
34.0' S.E. of x spike pow pole
35.5' N.E. of steel fa post
33.1' N. of W spike cor. post
34.25' S.W. of W spike gate post

N.E. cor. sec. 10-87-11

9-27-39

26



Sta E 1/4 Cor. Sec 3-87-11

At location indicated by
random line dug hole 5 ft
sq and 18" deep found limestone
3 1/2" x 8" x 19" lowered all evidence
in place and set c/m on top
with cap marked

3 — 2

Set top of c/m 12" deep


also 4 smaller limestones
4 x 5 1/2 x 8 1/2 and Niggerhead
5 1/2 x 9 x 14"

23.8' E.S.E. willow stump fa. post
144.3' N.E. of W spike pole
41.4' N.W. of steel fa. post.
32.4' W. of W spike cor post
44.9' S.W. of steel fa. post

Notes-Hubbard
Cham-Hubbard-Niedert 27

E 1/4 cor. sec 3-87-11

9-28-39



Sta N 1/4 Cor. Sec. 11-87-11.

At location indicated by
random line dug hole 5 ft
sq and 18" deep found
limestone 4" x 9" x 19" lowered
all evidence in place and
set c/m on top with cap
marked 2

11

set top of c/m 12" deep

also Limestone 2 1/2" x 5" x 5 1/2"

OK
9/1/94

153.4' S.E. of S.E. cor. of barn.

9.1' E. of W spike brace post

9.4' S.W. of W spike brace post

0.6' W. of W spike cor. post

N. 1/4 Cor. Sec. 11-87-11 9-28-39.

Notc's - Hubbard

Chain - Hubbard - Niedert

Barn
Base


Wood lot.

(X) Spk. brace post.

(X) Spk. cor. post.

(0.6') From M.

(X) Spk. brace post



Sta. N.E. cor. sec 11-87-11

At location indicated by
random line dug hole 5 ft
sq and 18" deep found
limestone surrounded by
eleven small pieces lowered
all evidence in place and
set g/m on top with cap
marked. Limestone 3'x5'x7"

2 1

11 12

set top of g/m 12" deep

Found original Gov. Survey Bearing
tree, checks corner S45°W, 16.3'

69.7' S.E. of X-Spikes in elm tree 20" dia

15.1' S.W. of X-Spikes in elm tree 36" dia

74.4' N.W. of X-Spikes in elm tree 36" dia


27.9' E. of X-Spikes in elm tree 24" dia

Notes - Hubbard
Chain-Mees-Jacobson 29

N.E. cor. sec. 11-87-11

11-20-39.

Youngerman



Sta E 1/4 Cor. Sec 2-87-11

At location indicated by
random line dug hole 5 ft
sq and 18" deep found
higgerhead 9"x10"x19" lowered
all evidence in place and
set c/m on top with cap
marked

2-1

Set top of c/m 12" deep

0/2
2/2

12.5' E.N.E. of X-Spikes in gate post

13.0' S.S.W. of X-Spikes in elm tree 18" dia

1.0 N. of X-Spikes in cor. post.

Notes - Hubbard
Chain - Mees - Jacobs. 130

E. 1/4 cor. sec 2-87-11

11-20-39

Cemetery

x fa. posts all rotten.

M. spr. elm tree 18" diam.

M. spr. gate post

12.5' (X) spr. cor. post 1/4 S. of CM.

Sta. N 1/4 Cor. sec 12-87-11

At location indicated by random line dug hole 5 ft sq and 18" deep found iron pipe 1 1/4" x 29 1/4" lowered all evidence in place and set c/m on top with cap marked.

Set top of c/m 12" deep.

also old oak Hub $2\frac{1}{2} \times 25$ "
wedge shape Iron bar $2\frac{1}{2} \times 28$ " long.

37.1' S.E. of (X) spike gate post

33.8' E. of W spike cor post

37.3 N.E. of W spike gate post

41.1' S.W. of W spike cor. post

110.7' N.W. of N.W. cor house

68.4' N.W. of W spike c/m tree 40" d.

N. 1/4 cor sec. 12-87-11

9-28-39.

Wood pasture.  

*note's - Hubbard

chain-Naboard-Niedert.

orchard

(X) SPK Coy. post.

House
Base

elm tree
40" dia. m